



Flexim is a ready-to-use roofing mortar for fixing ridge/ hip tiles to tile roofs. It has been used successfully for over thirty years in the repair, renovation and new construction markets.

Flexim has been formulated with natural ingredients and does not contain toxic substances that are harmful to the environment. In fact, Flexim's main ingredient is actually a plant material: flaxseed oil. Furthermore, Flexim is aesthetically pleasing once installed, as it gives the ridge and the rim a traditional look.


Quantity/Box	LBS/Box	Strip Size	Box Size
10 strips	20 lbs	3-15/16" x 19-11/16" x 1-3/8"	1' 11-3/5" x 1' 3-3/4" x 4-7/10"

PRIMARY USE AT HIP CONDITIONS


Each box provides 8-10 feet of coverage for high profile and 14-16 feet for flat profile (accounts for both sides of hip conditions). Not intended to replace mechanical fastening.



BLACK




DARK BROWN




RED



LIGHT BROWN



GRAY



GREEN

TILE SEAL FLEXIBLE FLASHING



Copper is one of the most durable roof flashing materials on the market. TileSeal copper flashing with Ludowici will provide you with peace of mind that your roof investment is protected for years to come. TileSeal is highly durable and weather resistant and made of corrugated copper with a Butyl adhesive attachment—giving additional security against driving rain and snow. TileSeal copper flashing is:

- ◆ LIGHTWEIGHT
- ◆ FULLY RECYCLABLE
- ◆ HIGHLY DURABLE & WEATHER RESISTANT
- ◆ QUICK & EASY TO INSTALL, NO TOOLS NECESSARY
- ◆ EASILY CONFIRMS TO ALL TILE PROFILES
- ◆ SUITABLE FOR HIP AND RIDGE APPLICATIONS

PRODUCT ATTRIBUTES

- ◆ SOLID COPPER: PREVENTS MOSS AND ORGANIC BUILD-UP OF THE SURFACE
- ◆ BUTYL ADHESIVE ATTACHMENT
- ◆ CONTINUOUS CORRUGATION: STRETCHING FACTOR OF 30%
- ◆ NEW CONSTRUCTION OR RETROFIT
- ◆ 25-YEAR LIMITED MANUFACTURER'S WARRANTY

PRODUCT OFFERING

Product
TileSeal 9" Copper
TileSeal 11" Copper
TileSeal 13" Copper
TileSeal 15" Copper
Ridge Riser, Steel

**4 Rolls per box / 25 ft. per roll*

Tile Type	Size for Hips	Size for Ridge
Flats; Interlocking (excluding French)	9"	9"
French, Spanish, Conosera	13"	11"
All Mission	15"	13"

TILE SEAL FLEXIBLE FLASHING



Copper is one of the most durable roof flashing materials on the market. TileVent copper flashing with Ludowici will provide you with peace of mind that your roof investment is protected for years to come. TileVent is highly durable and weather resistant and made of corrugated copper with a Butyl adhesive attachment—giving additional security against driving rain and snow. TileVent copper flashing is:

- ◆ LIGHTWEIGHT
- ◆ FULLY RECYCLABLE
- ◆ HIGHLY DURABLE & WEATHER RESISTANT
- ◆ QUICK & EASY TO INSTALL, NO TOOLS NECESSARY
- ◆ EASILY CONFIRMS TO ALL TILE PROFILES
- ◆ SUITABLE FOR HIP AND RIDGE APPLICATIONS

PRODUCT ATTRIBUTES

- ◆ CORRUGATED COPPER
- ◆ BUTYL ADHESIVE ATTACHMENT
- ◆ CONTINUOUS CORRUGATION: STRETCHING FACTOR OF 30%
- ◆ NEW CONSTRUCTION OR RETROFIT
- ◆ 25-YEAR LIMITED MANUFACTURER'S WARRANTY
- ◆ NET FREE AIRFLOW: 9 IN2 PER RUNNING FOOT (9" WIDTH) | 10.3 IN2 PER RUNNING
- ◆ PERFORATED: CONTINUOUS AIR EXHAUST | RELIABLE WEATHER BLOCK | EXCEEDS
- ◆ ICC APPROVAL #ESR-1787

PRODUCT OFFERING

Product
TileVent 9" Copper
TileVent 11" Copper
TileVent 13" Copper
TileVent 15" Copper
Ridge Riser, Steel

**4 Rolls per box / 25 ft. per roll*

Tile Type	Size for Hips	Size for Ridge
Flats; Interlocking (excluding French)	9"	9"
French, Spanish, Conosera	13"	11"
All Mission	15"	13"