



**SECTION AT #211 VENTED RIDGE**

SCALE 1-1/2" = 1'



VENTED RIDGE CAP FLASHING



VENT FLASHING

GENERAL NOTES:

1. THIS IS A PROTOTYPICAL DETAIL FOR REVIEW. MODIFICATIONS MAYBE REQUIRED TO MEET PROJECT SPECIFIC REQUIREMENTS.
2. MINIMUM 1-1/4" HEADLAP REQUIRED FOR #211 RIDGE.
3. A BEAD OF SEALANT SHOULD BE APPLIED BETWEEN THE LAP OF EACH RIDGE TILE.
4. VENTED RIDGE CAP FLASHING AND VENT FLASHING ARE FABRICATED BY OTHERS.
5. HOLD PLYWOOD DECKING BACK 3/4" FROM RIDGE BOARD.



4757 Tile Plant Road, P.O. BOX 69, New Lexington, OH 43764  
 Telephone: (888) 582-9052 Fax: (740) 342-1906  
 www.ludowici.com

SYSTEM:	Calais Tile
Detail #:	CALAIS-302
Description:	SECTION AT #211 VENTED RIDGE
Drawing Date:	2014.10.06
Scale:	1-1/2" = 1'-0"
Ludowici N.A. Reference #:	Calais Tile CALAIS-302

The information contained on this drawing is the sole property of Ludowici Roof Tile, Inc. Any reproduction in whole or part without the express written permission of Ludowici Roof Tile, Inc. is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice when deemed necessary for product development and/or enhancement.