



SECTION AT EAVE WITH UNDER EAVE

SCALE 1-1/2" = 1'

GENERAL NOTES:

1. THIS IS A PROTOTYPICAL DETAIL FOR REVIEW. MODIFICATIONS MAYBE REQUIRED TO MEET PROJECT SPECIFIC REQUIREMENTS.
2. MINIMUM 3" HEADLAP REQUIRED.


LUDOWICI®

4757 Tile Plant Road, P.O. BOX 69, New Lexington, OH 43764

Telephone: (888) 582-9052 Fax: (740) 342-1906

www.ludowici.com

| | |
|---|---------------------------------|
| SYSTEM: | Morando Closed Shingle |
| Detail #: | MORANDOCs-100 |
| Description: | SECTION AT EAVE WITH UNDER EAVE |
| Drawing Date: | 2014.10.28 |
| Scale: | 1-1/2" = 1'-0" |
| Ludowici N.A. Reference #: Morando Closed Shingle MORANDOCs-100 | |

The information contained on this drawing is the sole property of Ludowici Roof Tile, Inc. Any reproduction in whole or part without the express written permission of Ludowici Roof Tile, Inc. is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice when deem necessary for product development and/or enhancement.