

NEXCLAD 16

P R O T O T Y P I C A L D E T A I L S



LUDOWICI®

PROTOTYPICAL DETAILS
K E Y

P A G E O N E O F T W O




LUDOWICI®

PROTOTYPICAL DETAILS

KEY

PAGE TWO OF TWO



LUDOWICI®

3/16" LUDOWICI
DRAINAGE PLANE
MATERIAL. NOTE:
CORRUGATION OF THE
DRAINAGE MAT TO FACE
TOWARD THE BUILDING,
THE FLEECE LINER
FACES THE OUTSIDE.

AIR AND MOISTURE
BARRIER
(NOT BY LUDOWICI)

CONTINUOUS RIGID
STRUCTURAL INSULATION
BOARD
(NOT BY LUDOWICI)


CONT' RIGID INSULATION
BOARD TAPE AT JOINTS - IF
SPECIFIED BY
MANUFACTURER
(NOT BY LUDOWICI)

EXTERIOR WALL
FRAMING (NOT BY
LUDOWICI)

LUDOWICI NEXCLAD
SHINGLE 16 TERRACOTTA
CLADDING FIELD TILE (TYP.)

STAINLESS STEEL SIDELOCK
CLIP W/ (1) STAINLESS STEEL
FASTENER (TYP.)

(2) STAINLESS STEEL
FASTENERS PER TILE
(TYP.)



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 0.3rb

Description: SYSTEM COMPONENTS ISO W/CONTINUOUS RIGID
STRUCTURAL INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board


Drawing Date: 04.23.2025

Scale: 3" = 1'-0"


Ludowici Reference #: NeXclad Shingle 16 0.3rb .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.

© Ludowici Roof Tile, Inc. All Rights Reserved




FRONT



ISO



TOP



RIGHT


NOTE: CLAY TILE MANUFACTURING STANDARD C1167
 ALLOWS FOR A +/-5% DIMENSIONAL DEVIATION FROM
 PUBLISHED STANDARDS


LUDOWICI[®]
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	0.4
Description: NEXCLAD 16 FILED TILE DIMENTIONS	
Building Construction:	
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 0.4 .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
 Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 1rb

Description: TYPICAL INSTALLATION PLAN DETAIL W/CONTINUOUS RIGID STRUCTURAL INSULATION BOARD


Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 1rb.

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 2rb

Description: TYPICAL INSTALLATION SECTION DETAIL W/RIGID INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 2rb.

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 3axo

Description: EXTERNAL CORNER PLAN DETAIL - TWO-PIECE CORNER TILE AXONOMETRIC

Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale:

Ludowici Reference #: NeXclad Shingle 16 3axo .


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.

LUDOWICI NEXCLAD
SHINGLE 16
TERRACOTTA CLADDING
FIELD TILE (TYP.)

STAINLESS STEEL
SIDELOCK CLIP W/ (1)
STAINLESS STEEL
FASTENER BELOW

(2) STAINLESS STEEL
FASTENERS PER TILE
(TYP.)

LUDOWICI NEXCLAD
SHINGLE 16 TWO-PIECE
CORNER ACCESSORY
TILES



EXTERIOR WALL FRAMING
(NOT BY LUDOWICI)

3/16" LUDOWICI DRAINAGE
PLANE MATERIAL. NOTE:
CORRUGATION OF THE
DRAINAGE MAT TO FACE
TOWARD THE INSIDE OF
THE BUILDING, THE
FLEECE LINER FACES THE
OUTSIDE

VARIES
RIGID CONT' BOARD

CONTINUOUS RIGID
STRUCTURAL
INSULATION BOARD
(NOT BY LUDOWICI)


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 3rb

Description: EXTERNAL CORNER - TWO-PIECE TILE W/CONT' RIGID
STRUCTURAL INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 3rb.

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 4axo

Description: EXTERNAL CORNER - RE-ENTRANT MTL TRIM - AXONOMETRIC


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale:

Ludowici Reference #: NeXclad Shingle 16 4axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 4rb

Description: EXTERNAL CORNER - RE-ENTRANT MTL TRIM W/CONT' RIGID STRUCTURAL INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 4rb Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	5axo
Description: EXTERNAL CORNER - GREATER ARROW MTL CORNER TRIM - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 5axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
 Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 5rb

Description: EXTERNAL CORNER - GREATER ARROW MTL TRIM
W/RIGID INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 5rb Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 7axo

Description: EXTERNAL CORNER - MTL KNIFE CORNER TRIM - AXONOMETRIC


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale:

Ludowici Reference #: NeXclad Shingle 16 7axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 7rb

Description: EXTERNAL CORNER - MTL KNIFE TRIM W/RIGID INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 7rb Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	9axo
Description: EXTERNAL CORNER - SIDING TILE WITH FLUSH OVERLAP - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 9axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	9rb
Description: EXTERNAL CORNER - SIDING TILE W/FLUSH OVERLAP W/CONT' RIGID STRUCTURAL INSULATION BOARD	
Building Construction:	Continuous Rigid Structural Insulation Board
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 9rb Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	10axo
Description: EXTERNAL CORNER - 'V' CORNER TILE - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 10axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 11rb

Description: INTERNAL CORNER PLAN DETAIL W/CONT' RIGID INSULATION BOARD


Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 11rb Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	12rb
Description: TERMINATION OF RAINSCREEN PLAN DETAIL W/RIGID INSULATION BOARD	
Building Construction:	Continuous Rigid Structural Insulation Board
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 12rb .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.

3/16" LUDOWICI
DRAINAGE PLANE
MATERIAL

(2) STAINLESS STEEL
FASTENERS PER TILE
(TYP.)

(2) 1" LONG DABS OF
ADHESIVE

LUDOWICI NEXCLAD
SHINGLE 16
TERRACOTTA CLADDING
FIELD TILE (TYP.)


AIR AND MOISTURE
BARRIER (NOT BY
LUDOWICI)

STAINLESS STEEL SIDELOCK
CLIP W/ (1) STAINLESS STEEL
FASTENER BEYOND (TYP.)

NOTE: EXPOSURE REQUIRED
FOR FIRST COURSE COULD BE
LESS THAN SHOWN
DEPENDING ON DESIRED
COURSING NEEDED ABOVE IN
WALL LAYOUT/DESIGN

NEXCLAD 16 STARTER TILE. IN
THE CASE OF FIELD CUT TILES
OF SHORTER LENGTHS,
STARTER TILES CAN BE CUT
AND RE-POSITIONED TO
RETAIN FIELD TILE ANGLE,
(APPROX 4°). NON-
COMBUSTIBLE ALTERNATIVES,
SUCH AS METAL HATS OR Z
PURLINS, APPROPRIATELY
SIZED ARE ALSO ACCEPTABLE,
AND NECESSARY IN CASES
WITH TILES CUT TO AN
EXPOSURE LESS THAN
APPROX 7"
(NOT BY LUDOWICI)

CONT. FLASHING WITH
POSITIVE SLOPE
DRAINAGE AWAY FROM
INSIDE OF THE BUILDING
(NOT BY LUDOWICI)




Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 13rb

Description: BASE OF WALL SECTION DETAIL W/RIGID INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 13rb Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.

CONT. BACKER ROD AND
SEALANT
(NOT BY LUDOWICI)

SILL FLASHING
(NOT BY LUDOWICI)
FLASHING SHOULD EXTENDN
DOWN A MINIMUM OF 3"
BELOW TOP OF TILE TO
CONCEAL FASTENERS

SELF-ADHERED MEMBRANE
(NOT BY LUDOWICI)

SEALANT
(NOT BY LUDOWICI)

FLEXIBLE SELF-ADHERING
FLASHING (NOT BY
LUDOWICI)

(2) STAINLESS STEEL
FASTENERS PER TILE (TYP.)

3/16" LUDOWICI DRAINAGE
PLANE MATERIAL


LUDOWICI NEXCLAD
SHINGLE 16 TERRACOTTA
CLADDING FIELD TILE (TYP.)

AIR AND MOISTURE
BARRIER
(NOT BY LUDOWICI)

WINDOW UNIT (NOT BY
LUDOWICI)

EXTERIOR WALL FRAMING
(NOT BY LUDOWICI)

CONTINUOUS RIGID
STRUCTURAL INSULATION
BOARD
(NOT BY LUDOWICI)



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 14rb

Description: WINDOW SILL SECTION DETAIL W/CONT' RIGID
INSULATION BOARD


Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 14rb Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 15rb

Description: WINDOW JAMB PLAN DETAIL - METAL TRIM W/RIGID INSULATION BOARD

Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 15rb Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.

(2) STAINLESS STEEL FASTENERS PER TILE (TYP.)

(2) 1" LONG DABS OF ADHESIVE

CONTINUOUS RIGID STRUCTURAL INSULATION BOARD (NOT BY LUDOWICI)

AIR AND MOISTURE BARRIER (NOT BY LUDOWICI)

3/16" LUDOWICI DRAINAGE PLANE MATERIAL

LUDOWICI NEXCLAD SHINGLE 16 TERRACOTTA CLADDING FIELD TILE (TYP.)

NEXCLAD 16 STARTER TILE. IN THE CASE OF FIELD CUT TILES OF SHORTER LENGTHS, STARTER TILES CAN BE CUT AND RE-POSITIONED TO RETAIN FIELD TILE ANGLE, (APPROX 4°). NON-COMBUSTIBLE ALTERNATIVES, SUCH AS METAL HATS OR Z PURLINS, APPROPRIATELY SIZED ARE ALSO ACCEPTABLE, AND NECESSARY IN CASES WITH TILES CUT TO AN EXPOSURE LESS THAN APPROX 7" (NOT BY LUDOWICI)

CONT. FLASHING WITH POSITIVE SLOPE DRAINAGE AWAY FROM INSIDE OF THE BUILDING (NOT BY LUDOWICI)

SELF-ADHERED MEMBRANE (NOT BY LUDOWICI)

2 1/8" NOM. SYSTEM DEPTH
EXTERIOR WALL CONSTRUCTION (NOT BY LUDOWICI)
1 7/8" TILE
1/16" 3/16"

3"

HEADLAP

NOM. 1' - 1"

TILE EXPOSURE

1/2" NOM.

EXTERIOR WALL FRAMING (NOT BY LUDOWICI)

WINDOW UNIT (NOT BY LUDOWICI)

CONT. BACKER ROD AND SEALANT (NOT BY LUDOWICI)

CONT. ALUMINUM EXTRUSION TRIM (NOT BY LUDOWICI)


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 16rb

Description: WINDOW HEAD SECTION DETAIL W/CONT' RIGID INSULATION BOARD


Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 16rb Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 17rb

Description: PARAPET COPING SECTION DETAIL W/CONT' RIGID INSULATION BOARD


Building Construction: Continuous Rigid Structural Insulation Board

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 17rb Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.1
Description: RE-ENTRANT TRIM - FABRICATION DIMENSIONS	
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.1 Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.2
Description:	GREATER ARROW TRIM - FABRICATION DIMENSIONS
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.2 Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.3
Description:	KNIFE TRIM - FABRICATION DIMENSIONS
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.3 Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.4
Description: L TRIM - FABRICATION DIMENSIONS	
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.4 Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.