

NEXCLAD 16

P R O T O T Y P I C A L D E T A I L S



LUDOWICI®

PROTOTYPICAL DETAILS
K E Y

P A G E O N E O F T W O




LUDOWICI®

PROTOTYPICAL DETAILS

KEY

PAGE TWO OF TWO



LUDOWICI®

3/16" LUDOWICI
DRAINAGE PLANE
MATERIAL. NOTE:
CORRUGATION OF THE
DRAINAGE MAT TO FACE
TOWARD THE BUILDING,
THE FLEECE LINER
FACES THE OUTSIDE.

AIR AND MOISTURE
BARRIER (NOT BY
LUDOWICI)


SCREWABLE
STRUCTURAL
SHEATHING BOARD (NOT
BY LUDOWICI)

EXTERIOR WALL
FRAMING (NOT BY
LUDOWICI)

STAINLESS STEEL
SIDELOCK CLIP W/ (1)
STAINLESS STEEL
FASTENER BEYOND
(TYP.)

LUDOWICI NEXCLAD
SHINGLE 16
TERRACOTTA CLADDING
FIELD TILE (TYP.)

(2) STAINLESS STEEL
FASTENERS PER TILE
(TYP.)







4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	0.3s
Description: SYSTEM COMPONENTS ISO	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 0.3s .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




FRONT



ISO



TOP



RIGHT

NOTE: CLAY TILE MANUFACTURING STANDARD C1167
 ALLOWS FOR A +/-5% DIMENSIONAL DEVIATION FROM
 PUBLISHED STANDARDS


LUDOWICI[®]
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 0.4

Description: NEXCLAD 16 FILED TILE DIMENTIONS


Building Construction:

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 0.4 .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
 Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 1S

Description: TYPICAL INSTALLATION PLAN DETAIL


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 1s.

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	2S
Description: TYPICAL INSTALLATION SECTION DETAIL	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 2s.

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 3axo

Description: EXTERNAL CORNER PLAN DETAIL - TWO-PIECE CORNER TILE AXONOMETRIC


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale:

Ludowici Reference #: NeXclad Shingle 16 3axo .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 3s

Description: EXTERNAL CORNER PLAN DETAIL - TWO-PIECE CORNER TILE

Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 3s.

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.




LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 4axo

Description: EXTERNAL CORNER - RE-ENTRANT MTL TRIM - AXONOMETRIC


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale:

Ludowici Reference #: NeXclad Shingle 16 4axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 4S

Description: EXTERNAL CORNER - RE-ENTRANT MTL TRIM

Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 4s Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	5axo
Description: EXTERNAL CORNER - GREATER ARROW MTL CORNER TRIM - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 5axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 5s

Description: EXTERNAL CORNER - GREATER ARROW MTL CORNER TRIM

Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 5s Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.





Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	7axo
Description: EXTERNAL CORNER - MTL KNIFE CORNER TRIM - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 7axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
 Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 7s

Description: EXTERNAL CORNER - MTL KNIFE CORNER TRIM

Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 7s Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	9axo
Description: EXTERNAL CORNER - SIDING TILE WITH FLUSH OVERLAP - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 9axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.



LUDOWICI®

Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	9s
Description: EXTERNAL CORNER - SIDING TILE WITH FLUSH OVERLAP	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 9s Designer





LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	10axo
Description: EXTERNAL CORNER - 'V' CORNER TILE - AXONOMETRIC	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	
Ludowici Reference #:	NeXclad Shingle 16 10axo Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
 Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 10S

Description: EXTERNAL CORNER - 'V' CORNER TILE


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 10s Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.




LUDOWICI®

Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	11S
Description: INTERNAL CORNER PLAN DETAIL	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 11s Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.



LUDOWICI®

Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NeXclad Shingle 16
DETAIL #:	12S
Description: TERMINATION OF RAINSCREEN PLAN DETAIL	
Building Construction:	Stud Wall Framing
Drawing Date:	04.23.2025
Scale:	3" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 12s .

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.

3/16" LUDOWICI
DRAINAGE PLANE
MATERIAL

(2) STAINLESS STEEL
FASTENERS PER TILE
(TYP.)


(2) 1" LONG DABS OF
ADHESIVE

LUDOWICI NEXCLAD
SHINGLE 16
TERRACOTTA CLADDING
FIELD TILE (TYP.)

AIR AND MOISTURE
BARRIER (NOT BY
LUDOWICI)

NOTE: EXPOSURE REQUIRED
FOR FIRST COURSE COULD BE
LESS THAN SHOWN
DEPENDING ON DESIRED
COURSING NEEDED ABOVE IN
WALL LAYOUT/DESIGN

NEXCLAD 16 STARTER TILE. IN
THE CASE OF FIELD CUT TILES
OF SHORTER LENGTHS,
STARTER TILES CAN BE CUT
AND RE-POSITIONED TO
RETAIN FIELD TILE ANGLE,
(APPROX 4°). NON-
COMBUSTIBLE ALTERNATIVES,
SUCH AS METAL HATS OR Z
PURLINS, APPROPRIATELY
SIZED ARE ALSO ACCEPTABLE,
AND NECESSARY IN CASES
WITH TILES CUT TO AN
EXPOSURE LESS THAN
APPROX 7"
(NOT BY LUDOWICI)



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 13s

Description: BASE OF WALL SECTION DETAIL


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 13s Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


LUDOWICI®
Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 14S

Description: WINDOW SILL SECTION DETAIL


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 14s Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 15s

Description: WINDOW JAMB PLAN DETAIL - METAL TRIM

Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 15s Designer

(2) STAINLESS STEEL
FASTENERS PER TILE
(TYP.)

(2) 1" LONG DABS OF
ADHESIVE

SCREWABLE STRUCTURAL
SHEATHING BOARD (NOT
BY LUDOWICI)

AIR AND MOISTURE
BARRIER (NOT BY
LUDOWICI)

3/16" LUDOWICI DRAINAGE
PLANE MATERIAL


LUDOWICI NEXCLAD
SHINGLE 16 TERRACOTTA
CLADDING FIELD TILE (TYP.)

NEXCLAD 16 STARTER TILE.
IN THE CASE OF FIELD CUT
TILES OF SHORTER LENGTHS,
STARTER TILES CAN BE CUT
AND RE-POSITIONED TO
RETAIN FIELD TILE ANGLE,
(APPROX 4°). NON-
COMBUSTIBLE
ALTERNATIVES, SUCH AS
METAL HATS OR Z PURLINS,
APPROPRIATELY SIZED ARE
ALSO ACCEPTABLE, AND
NECESSARY IN CASES WITH
TILES CUT TO AN EXPOSURE
LESS THAN APPROX 7"
(NOT BY LUDOWICI)

CONT. FLASHING WITH
POSITIVE SLOPE
DRAINAGE AWAY FROM
INSIDE OF THE BUILDING
(NOT BY LUDOWICI)

CONT. ALUMINUM
EXTRUSION TRIM (NOT BY
LUDOWICI)

CONT. BACKER ROD AND
SEALANT (NOT BY
LUDOWICI)



EXTERIOR WALL FRAMING
(NOT BY LUDOWICI)

WINDOW UNIT (NOT BY
LUDOWICI)

GENERAL NOTES:

- EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 16s

Description: WINDOW HEAD SECTION DETAIL


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 16s Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



GENERAL NOTES:

- A. EXTERIOR WALL FRAMING MAY BE COLD-FORMED METAL FRAMING (AS SHOWN) OR WOOD STUD FRAMING.
- B. CONDITIONS OF CONSTRUCTION SHOULD BE CONSIDERED WHEN SELECTING SCREWABLE WALL SHEATHING.


Trusted. Timeless. Terra Cotta.

4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM: NeXclad Shingle 16

DETAIL #: 17s

Description: PARAPET COPING SECTION DETAIL


Building Construction: Stud Wall Framing

Drawing Date: 04.23.2025

Scale: 3" = 1'-0"

Ludowici Reference #: NeXclad Shingle 16 17s Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
 www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.1
Description:	RE-ENTRANT TRIM - FABRICATION DIMENSIONS
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.1 Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
 Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
 New Lexington, Ohio 43764
 Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.2
Description:	GREATER ARROW TRIM - FABRICATION DIMENSIONS
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.2 Designer


The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited. Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.3
Description: KNIFE TRIM - FABRICATION DIMENSIONS	
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.3 Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.



4757 Tile Plant Road
New Lexington, Ohio 43764
Telephone: (800) 945-8453 Fax: (740) 342-0025
www.ludowici.com

SYSTEM:	NEXCLAD 14 & 16
DETAIL #:	20.4
Description: L TRIM - FABRICATION DIMENSIONS	
Building Construction:	
Drawing Date:	09/03/24
Scale:	6" = 1'-0"
Ludowici Reference #:	NeXclad Shingle 16 20.4 Designer

The information contained on this drawing is the property of Ludowici Roof Tile. Any use or reproduction in whole or in part without the express written permission of Ludowici Roof Tile is strictly prohibited.
Ludowici Roof Tile, Inc. reserves the right to modify the configuration of item(s) shown without prior written notice.